

RED LINE FULL SYNTHETIC MULTI-VEHICLE **ATF**

Red Line Full Synthetic Multi-Vehicle ATF Fluid is specifically designed and formulated representing the latest in full synthetic automatic transmission fluid technology. It provides exceptional friction durability for consistent shift performance for the life of the fluid.

Applications

- Suitable for use in service fill, top off, and mechanical automatic transmission fluid exchange services
- Suitable for use in most North American, European, and Asian vehicles containing automatic transmissions
- Not intended or recommended for use in Allison TES, Ford F-Type, Continuously Variable Transmissions (CVT), Dual Clutch Transmissions (DCT), MAN, or Voith applications

Features/Benefits

- Outstanding resistance to oxidative and thermal breakdown
- · Exceptional low temperature fluidity
- Excellent ant-wear properties
- Extended fluid life

Recommended Service Procedure

- For use in Step-Type ATF service fill or top off applications
- · Consult vehicle's owners manual for OEM service intervals and fluid capacity
- DO NOT OVERFILL



Typical Properties	
Specific Gravity @ 60 °F	0.84
Density, lbs/gal. @ 60 °F	7.02
Vis @ 100°C, cSt	5.9
Vis @ 40°C, cSt	29.2
Viscosity Index	152
CCS Viscosity, Poise, @ °C	10200@-40
Flash Point, COC, °C	220
Fire Point, °C	240
Zinc, wt%	<0.001

Health Safety Information

For recommendations on safe handling and use of this product, please refer to the Material Safety Data Sheet via <u>REDLINECHEMICALS.COM</u>.